

**AD2 AERODROMES****DAAP AD 2.1 Aerodrome location indicator and name**

DAAP – ILLIZI / IBRAHIM GHOUMA

**DAAP AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	26°43'25"N 008°37'04"E Intersection RWY with TWY A.
2	Direction and distance from (city)	Located of 15 NM Northeast from city of Illizi.
3	Elevation/Reference Temperature	542M / 35°C
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR / Annual change	1°E / 2017
6	AD Administration, address, telephone, telefax, Telex, AFS	ILLIZI AIRPORT Aéroport de ILLIZI/TAKHAMALT BP 39 -ILLIZI Tel: +213 29413013 TWR/ABO: +213 29413006 SSLI: +213 29413015 MBO: +213 29413010 Telfax: +213 29413004 Telex: NIL AFS: DAAPYDYD
7	Type of traffic (IFR/VFR)	IFR/VFR
8	Remarks	Civil/military aerodrome

**DAAP AD 2.3 OPERATIONAL HOURS**

1	AD administration	0700/1500 (SUN / THU)
2	Customs and immigration	Presence during flight hours.
3	Health and sanitation	NIL
4	AIS briefing office	0800/1600 (1)
5	ATS reporting office (ARO)	0800/1600 (1)
6	MET briefing office	0700/1500
7	ATS	0800/1600 (1)
8	Fueling	0700/1500
9	Handling	Presence during flight hours.
10	Security	H24
11	De-icing	NIL
12	Remarks	(1) Outside these hours, a notice (PN) will be sent to DAAPYDYD before 14h00.

**DAAP AD 2.4 HANDLING SERVICES AND FACILITIES**

1	Cargo handling facilities	Available with the company of AIR ALGERIA.
2	Fuel and oil types	JET A1
3	Fueling facilities and capacity	Hydro system, 30.000 m <sup>3</sup> / h. Fuel storage area: 06 tanks 15000 Litters.
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

**DAAP AD 2.5 PASSENGER FACILITIES**

1	<i>Hotels</i>	In city.
2	<i>Restaurants</i>	In city.
3	<i>Transportation facilities</i>	Taxi-Bus.
4	<i>Medical facilities</i>	In city.
5	<i>Bank and post office</i>	In city.
6	<i>Tourist office</i>	NIL
7	<i>Remarks</i>	NIL

**DAAP AD 2.6 RESCUE AND FIREFIGHTING SERVICES**

1	<i>AD category for firefighting</i>	CAT 7.
2	<i>Rescue equipment</i>	Yes, CAT 7.
3	<i>Capability for removal of disabled aircraft</i>	NIL
4	<i>Remarks</i>	NIL

**DAAP AD 2.7 SEASONAL AVAILABILITY, CLEARING**

1	<i>Type of clearing equipment</i>	NIL
2	<i>Clearance priorities</i>	NIL
3	<i>Remarks</i>	NIL

**DAAP AD 2.8 APRONS, TWY AND CHECK LOCATIONS**

1	<i>Apron surface and strength</i>	Surface: Bituminous Concrete Strength: PCN 45 /F/A/X/T
2	<i>Taxiway width, surface and strength</i>	TWY: A, B, C Width: 25M Surface: Bituminous Concrete Strength: PCN 45 F/A/X/T
3	<i>Altimeter checkpoint location and elevation</i>	NIL NIL
4	<i>VOR checkpoints</i>	NIL
5	<i>INS checkpoints</i>	NIL
6	<i>Remarks</i>	NIL

**DAAP AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

1	<i>Use of aircraft stand ID signs, TWY guidelines and visual docking / parking guidance system of aircraft stands</i>	ID signs: NIL TWY guidelines: YES Parking guidance system : YES
2	<i>RWY and TWY markings and LGT</i>	RWY: RWY edge lights, RWY THR lights, RWY end lights. RWY designation marking, THR marking, TDZ marking, RWY center line marking.  TWY: TWY edge lights. TWY center line marking.
3	<i>Stop bars</i>	NIL
8	<i>Remarks</i>	NIL

**DAAP AD 2.10 AERODROME OBSTACLES**

<i>Approach and take-off areas</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/ HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

<i>Circling area and at aerodrome</i>					
<i>OBST ID / Designation</i>	<i>Obstacle type</i>	<i>OBST position</i>	<i>Elevation/ Height</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
a	b	c	d	e	f
DAAPOB001	PRKG Pylon		HGT 22 M	Marked and LGTD	NIL
DAAPOB002	Water tower		HGT 16 M	-	NIL
DAAPOB003	TWR		HGT 22 M	Marked and LGTD	NIL
DAAPOB004	Antenna	QDR091°/150M from TWR.	582/40 M	Marked and LGTD	NIL

**DAAP AD 2.11 METEOROLOGICAL INFORMATION PROVIDED**

1	<i>Associated MET Office</i>	METEO station of Illizi.
2	<i>Hours of service MET Office outside hours</i>	H 24
3	<i>Office responsible for TAF preparation and periods of validity</i>	TAF on request of METEO regional center of GHARDAIA.
4	<i>Trend Forecast and Interval of issuance</i>	METARs all hours- SPECI, TAF (O/R)
5	<i>Briefing/consultation provided</i>	Available on request.
6	<i>Flight documentation and Language(s) used</i>	Documentations OACI - Fr
7	<i>Charts and other information available for briefing or consultation</i>	NIL
8	<i>Supplementary equipment available for providing Information on meteorological conditions</i>	NIL
9	<i>ATS units provided with meteorological information</i>	TWR
10	<i>Remarks</i>	NIL

**DAAP AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

<i>Designations RWY NR</i>	<i>TRUE BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength (PCN) And surface of RWY and SWY</i>	<i>THR coordinates RWY end coordinates THR geoid undulation</i>	<i>THR elevation and Highest elevation of TDZ of precision APP RWY</i>
1	2	3	4	5	6
09	091	3025X45	PCN 45 F/A/X/T - Bituminous	264326N 0083626E	538/NIL
27	271	3025X45	Concrete	264325N 0083816E	542/NIL

<i>Slope of RWY-SWY</i>	<i>SWY Dimensions (M)</i>	<i>CWY Dimensions (M)</i>	<i>Strips Dimensions (M)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	12	13
NIL	NIL	NIL	3200 x 300	NIL	SWY compacted ground.
NIL	NIL	NIL	3200 x 300	NIL	SWY compacted ground.

**DAAP AD 2.13 DECLARED DISTANCES**

<i>RWY designator</i>	<i>TORA (m)</i>	<i>TODA (m)</i>	<i>ASDA (m)</i>	<i>LDA (m)</i>	<i>Remarks</i>
1	2	3	4	5	6
09	3025	3025	3025	3025	NIL
27	3025	3025	3025	3025	NIL

**DAAP AD 2.14 APPROACH AND RUNWAY LIGHTING**

<i>RWY Designator</i>	<i>APCH LGT Type LEN INTST</i>	<i>THR LGT Color WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ, LGT LEN</i>	<i>RWY Center Line LGT Length, spacing, color, INTST</i>	<i>RWY edge LGT LEN, spacing, color, INTST</i>	<i>RWY end LGT color, WBAR</i>	<i>SWY LGT LEN (M), Color</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
09		Green	PAPI 3,15°	Nil	Nil	3025M, 30M, White, LIH	Red	Nil	Nil
27	Nil	Green	Nil	Nil	Nil	3025M, 30M, White, LIH	Red	Nil	Nil

**DAAP AD 2.15 OTHER LIGHTING AND SECONDARY POWER SUPPLY**

1	<i>ABN/IBN location, characteristics, and hours of operation</i>	NIL
2	<i>LDI location and lighting / Anemometer location and lighting</i>	Signal area, WDI.
3	<i>TWY edge and center line lights</i>	NIL
4	<i>Secondary power supply/switch-over time</i>	Two (02) powers generators 200 KVA/ 15Sec.
5	<i>Remarks</i>	NIL

**DAAP AD 2.16 HELICOPTER LANDING AERA**

1	<i>Coordinates TLOF or THR of FATO Geoid undulation</i>	NIL
2	<i>TLOF and/or FATO elevation (M/FT)</i>	NIL
3	<i>TLOF and FATO area dimensions, surface, strength, marking</i>	NIL
4	<i>True bearings of FATO</i>	NIL
5	<i>Declared distance available</i>	NIL
6	<i>APP and FATO lighting</i>	NIL
7	<i>Remarks</i>	NIL

**DAAP AD 2.17 ATS AIRSPACE**

1	<i>Designation and lateral limits</i>	CTR ILLIZI Circle of 10 NM radius centered on the VOR/DME (264312.18N 0083808.78E).
2	<i>Vertical limits</i>	900M /GND
3	<i>Airspace classification</i>	D
4	<i>ATS unit call sign and Language(s)</i>	ILLIZI TWR/ Fr, En
5	<i>Transition altitude</i>	1440M
6	<i>Remarks</i>	NIL

**DAAP AD 2.18 ATS COMMUNICATION FACILITIES**

<i>Service designation</i>	<i>Call sign</i>	<i>Channel</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
TWR	ILLIZI TOWER	118.7Mhz – 119.7 Mhz(a)	0800/1600	NIL
VDF	ILLIZI GONIO	118.7Mhz – 119.7Mhz (a)	0800/1600	NIL
FIS	ILLIZI RADIO	8894 Khz	0800/1600	NIL

**DAAP AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

<i>Type of aid, MAG VAR, Type of supported OPS (For VOR/ILS/MLS, give declination)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Position of transmitting antenna coordinates</i>	<i>Elevation of DME Transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
VOR/DME (1°E 2017)	ILZ	115.6 Mhz Canal 103 X	H24	264312.18N 0083808.78E	NIL	NIL

**DAAP AD 2.20 LOCAL AERODROME REGULATIONS:**

NIL

**DAAP AD 2.21 NOISE ABATEMENT PROCEDURES:**

NIL.

**DAAP AD 2.22 FLIGHTS PROCEDURES:**

- Mandatory of VFR routing and reporting points within the CTR.

**DAAP AD 2.23 ADDITIONAL INFORMATION:**

- Mandatory of half turns on the runway turn pad.

**DAAP AD 2.24 CHARTS RELATED TO AN AERODROME:**

AD-ICAO	AD2 DAAP-AD
IAC VOR RWY 27 CAT C/D - ICAO	AD 2 DAAP-IAC1
IAC VOR RWY 27 CAT A/B - ICAO	AD 2 DAAP-IAC2
IAC VOR/DME RWY 27 CAT C/D - ICAO	AD 2 DAAP-IAC3
IAC VOR/DME RWY 27 CAT A/B - ICAO	AD 2 DAAP-IAC4
VAC- ICAO	AD2 DAAP-VAC1