

**AD2 AERODROMES****DABS AD 2.1 Aerodrome location indicator and name**DAAG – *TEBESSA/Cheikh Larbi Tebessi***DABS AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	<i>ARP coordinates and site at AD</i>	35°25'57".49N 008°07'32".16E Intersection RWY 11/29 with TWY C.
2	<i>Direction and distance from (city)</i>	Located of 1,35 NM North from the city of Tebessa.
3	<i>Elevation/Reference Temperature</i>	810 M / 34°C
4	<i>Geoid undulation at AD ELEV PSN</i>	NIL
5	<i>MAG VAR / Annual change</i>	2°E / 2017
6	<i>AD Administration, address, telephone, telefax, Telex, AFS</i>	TEBESSA AIRPORT Aéroport de TEBESSA/Cheikh Larbi Tébéssi BP 78-Tebessa Tel: +213 37550748 TWR: +213 37 550737 ABO/ARO: +213 37550738 MBO: +213 6 56056384 Telefax: +213 37550748 Telex: NIL AFS: DABSVDYD
7	<i>Type of traffic (IFR/VFR)</i>	IFR/VFR
8	<i>Remarks</i>	NIL

**DABS AD 2.3 OPERATIONAL HOURS**

1	<i>AD administration</i>	0700/1500 (SUN /THU).
2	<i>Customs and immigration</i>	Presence during the flight hours.
3	<i>Health and sanitation</i>	Presence during the flight hours.
4	<i>AIS briefing office</i>	600/1800
5	<i>ATS reporting office (ARO)</i>	0600/1800
6	<i>MET briefing office</i>	0600/1800
7	<i>ATS</i>	0600/1800
8	<i>Fueling</i>	0600/1800
9	<i>Handling</i>	Presence during the flight hours.
10	<i>Security</i>	H24
11	<i>De-icing</i>	NIL
12	<i>Remarks</i>	NIL

**DABS AD 2.4 HANDLING SERVICES AND FACILITIES**

1	<i>Cargo handling facilities</i>	Available.
2	<i>Fuel and oil types</i>	JET A1.
3	<i>Fueling facilities and capacity</i>	200.000 liters.
4	<i>De-icing facilities</i>	NIL
5	<i>Hangar space for visiting aircraft</i>	NIL
6	<i>Repair facilities for visiting aircraft</i>	NIL
7	<i>Remarks</i>	NIL

**DABS AD 2.5 PASSENGER FACILITIES**

1	<i>Hotels</i>	In city.
2	<i>Restaurants</i>	In city.
3	<i>Transportation facilities</i>	Taxi.
4	<i>Medical facilities</i>	In city.
5	<i>Bank and post office</i>	In city.
6	<i>Tourist office</i>	In city.
7	<i>Remarks</i>	NIL

**DABS AD 2.6 RESCUE AND FIREFIGHTING SERVICES**

1	<i>AD category for firefighting</i>	CAT 5.
2	<i>Rescue equipment</i>	Yes, CAT 5.
3	<i>Capability for removal of disabled aircraft</i>	NIL
4	<i>Remarks</i>	NIL

**DABS AD 2.7 SEASONAL AVAILABILITY, CLEARING**

1	<i>Type of clearing equipment</i>	NIL
2	<i>Clearance priority</i>	NIL
3	<i>Remarks</i>	NIL

**DABS AD 2.8 APRONS, TWY AND CHECK LOCATIONS**

1	<i>Apron surface and strength</i>	Surface: Bituminous concrete Strength: PCN 64 F/C/W/T				
2	<i>Taxiway width, surface and strength</i>	A	B	C	D	E
		25 M ASPHALT PCN 59 F/D/W/T	25 M Bituminous concrete PCN 58 F/C/W/T	25 M Bituminous concrete PCN 58 F/D/W/T	25 M Bituminous concrete PCN 59 F/D/W/T	25 M Bituminous concrete PCN 23 F/D/W/T
3	<i>Altimeter checkpoint location and elevation</i>	Location: NIL Elevation: NIL				
4	<i>VOR checkpoints</i>	NIL				
5	<i>INS checkpoints</i>	NIL				
6	<i>Remarks</i>	NIL				

**DABS AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

1	<i>Use of aircraft stand ID signs, TWY guidelines and visual docking / parking guidance system of aircraft stands</i>	ID signs: YES TWY guidelines: YES Parking guidance system : YES
2	<i>RWY and TWY markings and LGT</i>	TWY RWY 11/29 –RWY 12/30: THR lights, RWY end lights, RWY edge lights, RWY turn pad lights. RWY 11/29 –RWY 12/30: THR marking, RWY designation marking, RWY center line marking, TDZ Marking, aiming point marking, holding point marking.  TWY TWY center line marking. TWY edge lights.
3	<i>Stop bars</i>	NIL
4	<i>Remarks</i>	NIL

**DABS AD 2.10 AERODROME OBSTACLES**

<i>Approach and take-off areas</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
a	b	c	d	e	f
DABSOB001	DVOR/DME antenna	352723.64N0080407.05E	HGT 8 M	Marked and LGTD	NIL

<i>Circling area and at aerodrome</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
a	b	c	d	e	f
DABSOB002	TWR	352536.18N0080711.59E	HGT 24 M	Marked and LGTD	NIL

**DABS AD2.11 METEOROLOGICAL INFORMATION PROVIDED**

1	Associated MET office	METEO station of Tebessa.
2	Hours of service: MET office outside hours:	H 24.
3	Office responsible for TAF preparation and periods of validity	On request.
4	Trend Forecast and Interval of issuance	METAR, 30 Minutes.
5	Briefing/consultation provided	NIL
6	Flight documentation and Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing Information on meteorological conditions	NIL
9	ATS units provided with meteorological information	TWR
10	Remarks	NIL

**DABS AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

<i>Designations RWY NR</i>	<i>TRUE BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength (PCN) And surface of RWY and SWY</i>	<i>THR coordinates RWY end coordinates THR geoid undulation</i>	<i>THR elevation and Highest elevation of TDZ of precision APP RWY</i>
1	2	3	4	5	6
11	113°	3000 X 45	59 F/D/W/T Bituminous concrete	352618.49N0080630.90E	804/NIL
29	293°	3000 X 45		352540.44N0080820.38E	810/NIL
12	124°	2400 X 30	31 F/D/W/T Bituminous concrete	352608.44N0080635.42E	806/NIL
30	304°	2400 X 30		352524.88N0080754.30E	809/NIL

<i>Slope of RWY-SWY</i>	<i>SWY Dimensions (M)</i>	<i>CWY Dimensions (M)</i>	<i>Strips Dimensions (M)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	11	12
NIL	100	NIL	NIL	NIL	NIL
NIL	100	NIL	NIL	NIL	NIL
+ 0.185 %	75	NIL	2550 M X 150 M	NIL	NIL
- 0.185 %	75	NIL	2550 M X 150 M	NIL	NIL

**DABS AD 2.13 DECLARED DISTANCES**

<i>RWY designator</i>	<i>TORA (m)</i>	<i>TODA (m)</i>	<i>ASDA (m)</i>	<i>LDA (m)</i>	<i>Remarks</i>
1	2	3	4	5	6
11	3000	3000	3100	3000	NIL
29	3000	3000	3100	3000	NIL
12	2400	2400	2475	2400	NIL
30	2400	2400	2475	2400	NIL

**DABS AD 2.14 APPROACH AND RUNWAY LIGHTING**

<i>RWY Designator</i>	<i>APCH LGT Type LEN INTST</i>	<i>THR LGT Color WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ, LGT LEN</i>	<i>RWY Center Line LGT Length, spacing, color, INTST</i>	<i>RWY edge LGT LEN, spacing, color, INTST</i>	<i>RWY end LGT color, WBAR</i>	<i>SWY LGT LEN (M), Color</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
11	Nil	Green	Nil	Nil	Nil	3000M, 30M, White, LIH	Red	Nil	Runway turn pad lights, blue, Not used
29	SIAL 420M LIH	Green	PAPI 3°	Nil	Nil	3000M, 30M, White, LIH	Red	Nil	Runway turn pad lights, blue
12	Nil	Green	Nil	Nil	Nil	2400M, 30M, White, LIL	Red	Nil	Runway turn pad lights, blue
30	Nil	Green	Nil	Nil	Nil	2400M, 30M, White, LIL	Red	Nil	Runway turn pad lights, blue

**DABS AD 2.15 OTHER LIGHTING AND SECONDARY POWER SUPPLY**

1	<i>ABN/IBN location, characteristics and hours of operation</i>	NIL
2	<i>LDI location and lighting Anemometer location and lighting</i>	LDI-WDI lighted.
3	<i>TWY edge and center line lights</i>	TWY edge lights: bleu.
4	<i>Secondary power supply/switch-over time</i>	Two (02) power generators 300 KVA/08 seconds.
5	<i>Remarks</i>	NIL

**DABS AD 2.16 HELICOPTER LANDING AERA**

1	<i>Coordinates TLOF or THR of FATO Geoid undulation</i>	NIL
2	<i>TLOF and/or FATO elevation (M/FT)</i>	NIL
3	<i>TLOF and FATO area dimensions, surface, strength, marking</i>	NIL
4	<i>True bearings of FATO</i>	NIL
5	<i>Declared distance available</i>	NIL
6	<i>APP and FATO lighting</i>	NIL
7	<i>Remarks</i>	NIL

**DABS AD 2.17 ATS AIRSPACE**

1	<i>Designation and lateral limits</i>	CTR TEBESSA Circle of 10 NM radius centered on the DVOR/DME.
2	<i>Vertical limits</i>	900 M/GND
3	<i>Airspace classification</i>	D
4	<i>ATS unit call sign and language(s)</i>	TEBESSA Tour, Fr, En.
5	<i>Transition altitude</i>	2340 M
6	<i>Remarks</i>	NIL

**DABS AD 2.18 ATS COMMUNICATION FACILITIES**

<i>Service designation</i>	<i>Call sign</i>	<i>Channel</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
TWR	TEBESSA TOWER	118.1-119.7 (s)	0600/1800	NIL

**DABS AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

<i>Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/MLS, give declination)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Position of transmitting antenna coordinates</i>	<i>Elevation of DME Transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
DVOR/DME (2°E 2017)	TBS	114.5 CH 92 X	H24	352723.64 N0080407.05E	NIL	QDR 302° / 2.37 NM of THR 12

**DABS AD 2.20 LOCAL AERODROME REGULATIONS: NIL**

**DABS AD 2.21 NOISE ABATEMENT PROCEDURES: NIL**

**DABS AD 2.22 FLIGHT PROCEDURES: NIL**

**DABS AD 2.23 ADDITIONAL INFORMATION:**

- Presence of bird in the aerodrome.

**DABS AD 2.24 CHARTS RELATED TO AN AERODROME:**

AD Chart - ICAO	AD2 DABS-AD
AOC - ICAO RWY 12/30	AD2 DABS-AOC1
AOC - ICAO RWY 11/29	AD2 DABS-AOC2
IAC - ICAO DVOR/DME RWY11 AND RWY12	AD2 DABS-IAC1
IAC - ICAO DVOR RWY11 AND RWY12	AD2 DABS-IAC2
VAC - ICAO	AD2 DABS-VAC1