

AD2 AERODROMES**DAON AD 2.1 Aerodrome location indicator and name**

DAON – TLEMCEN / Zenata-Messali El Hadj

DAON AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	<i>ARP coordinates and site at AD</i>	35°00'55"N 001°27'03"E. Intersection TWY D with RWY.
2	<i>Direction and distance from (city)</i>	Located of 11,87 NM South-west from the city of Tlemcen.
3	<i>Elevation/Reference Temperature</i>	248 M/34°C
4	<i>Geoid undulation at AD ELEV PSN</i>	NIL
5	<i>MAG VAR / Annual change</i>	0°W (2017) / 6'E
6	<i>AD Administration, address, telephone, telefax, Telex, AFS</i>	TLEMCEN AIRPORT Aéroport de TLEMCEN/Zenata-Messali El Hadj/BP50-ZENATA/TLEMCEN Tel: +213 43403149 TWR: +213 43403150 ARO: +213 40 31 50/+213 43 40 32 87 Telefax: +213 43 40 31 37 Telex: NIL AFS: DAONYDYD
7	<i>Type of traffic (IFR/VFR)</i>	IFR/VFR
8	<i>Remarks</i>	NIL

DAON AD 2.3 OPERATIONAL HOURS

1	<i>AD administration</i>	0700/1500
2	<i>Customs and immigration</i>	H24
3	<i>Health and sanitation</i>	Presence during the flight hours.
4	<i>AIS briefing office</i>	H24
5	<i>ATS reporting office (ARO)</i>	H24
6	<i>MET briefing office</i>	H24
7	<i>ATS</i>	H24
8	<i>Fueling</i>	H24
9	<i>Handling</i>	Presence during the flight hours.
10	<i>Security</i>	H24
11	<i>De-icing</i>	0700/1500
12	<i>Remarks</i>	NIL

DAON AD 2.4 HANDLING SERVICES AND FACILITIES

1	<i>Cargo handling facilities</i>	Assistance company of Air Algeria.
2	<i>Fuel and oil types</i>	JET A1
3	<i>Fueling facilities and capacity</i>	Two (02) trucks/ 400 m ³ /h.
4	<i>De-icing facilities</i>	NIL
5	<i>Hangar space for visiting aircraft</i>	NIL
6	<i>Repair facilities for visiting aircraft</i>	Available of Air Algeria.
7	<i>Remarks</i>	NIL

DAON AD 2.5 PASSENGER FACILITIES

1	<i>Hotels</i>	In city.
2	<i>Restaurants</i>	In city.
3	<i>Transportation facilities</i>	Taxi.
4	<i>Medical facilities</i>	In city.
5	<i>Bank and Post Office</i>	NIL
6	<i>Tourist office</i>	In city.
7	<i>Remarks</i>	NIL

DAON AD 2.6 RESCUE AND FIREFIGHTING SERVICES

1	<i>AD category for firefighting</i>	CAT 7.
2	<i>Rescue equipment</i>	Yes, CAT 7.
3	<i>Capability for removal of disabled aircraft</i>	Crane in city.
4	<i>Remarks</i>	NIL

DAON AD 2.7 SEASONNAL AVAILABILITY, CLEARING

1	<i>Type of clearing equipment</i>	Not applicable.
2	<i>Clearance priority</i>	NIL
3	<i>Remarks</i>	NIL

DAON AD 2.8 APRONS, TWY AND CHECK LOCATIONS

1	<i>Apron surface and strength</i>	Surface: Bituminous concrete. strength: PCN 75 F/A/W/T
2	<i>Taxiway width, surface and strength</i>	TWY A, B, C, D, E, F, G Width: 25M Surface: Bituminous concrete. Strength: PCN 75 F/A/W/T
3	<i>Altimeter checkpoint location and elevation</i>	Location: NIL Elevation: NIL
4	<i>VOR checkpoints</i>	NIL
5	<i>INS checkpoints</i>	NIL
6	<i>Remarks</i>	NIL

DAON AD 2.9 MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	<i>Use of aircraft stand ID signs, TWY guidelines and visual docking / parking guidance system of aircraft stands</i>	ID signs: YES TWY guidelines: YES Parking guidance system : YES
2	<i>RWY and TWY markings and LGT</i>	RWY Turn pad lights, RWY edge lights, RWY THR lights, RWY end lights. TWY edge lights. RWY designation marking, THR marking, RWY center line marking, aiming point marking, Holding position marking, TWY center line marking, TWY center line marking.
3	<i>Stop bars</i>	Available.
4	<i>Remarks</i>	NIL

DAON AD 2.10 AERODROME OBSTACLES

<i>Approach and take-off areas</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>e</i>	<i>f</i>
DAONOB001	Pylon	NIL	HGT 4 M	Marked and LGTD	
DAONOB002	Pylon	350235.90N 0012445.30W	HGT 35 M	Marked and LGTD	
DAONOB003	LOC Antenna	350031.06N 0012823.76W	HGT 3 M	NIL	
DAONOB004	Electrical pylon	350100.35N 0012633.75W	HGT 11 M	NIL	
DAONOB005	Electrical pylon	350107.51N 0012637.37W	HGT 11 M	NIL	

<i>Circling area and at aerodrome</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>e</i>	<i>f</i>
DAONOB006	Pylon	350038.80N 0012719.20W	277/26M	Marked and LGTD	
DAONOB007	Pylon	350039.86N 0012715.50W	278/26M	Marked and LGTD	
DAONOB008	Pylon	350041N 0012711.78W	278/26M	Marked and LGTD	
DAONOB009	Pylon	350042.1N 0012708.07W	278/26M	Marked and LGTD	
DAONOB010	Pylon	350043.07N 0012704.32W	278/26M	Marked and LGTD	
DAONOB011	Pylon	350044.18N 0012700.60W	278/26M	Marked and LGTD	
DAONOB012	Pylon	350044.91N 0012656.73W	278/26M	Marked and LGTD	
DAONOB013	Pylon	350045.67N 0012654.13W	278/26M	Marked and LGTD	
DAONOB014	Pylon	350046.46N 0012651.33W	278/26M	Marked and LGTD	
DAONOB015	Water tower	350034.36N 0012705W	272/23M	LGTD	
DAONOB016	Water tower	350114.22N 0012151.57W	368/60 M	LGTD	
DAONOB017	METEO station	350106.12N 0012643.08W	HGT 5 M	NIL	
DAONOB018	TWR	350044.40N 0012659.10W	279/28 M	Marked and LGTD	
DAONOB019	DVOR/DME antenna	350054.07N 0012646.12W	HGT 11 M	Marked and LGTD	
DAONOB020	NDB antenna	350053.80N 0012720.15W	HGT 14 M	NIL	
DAONOB021	GP Antenna	350056.19N 0012647.13W	262/15 M	Marked and LGTD	

DAON AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	<i>Associated MET office</i>	METEO station of TLEMCEN.
2	<i>Hours of service: MET office outside hours:</i>	H 24
3	<i>Office responsible for TAF preparation and Periods of validity</i>	METEO regional center of ORAN, H24.
4	<i>Trend Forecast and Interval of issuance:</i>	TAF – METAR – TEMSI permanently observation of aerodrome.
5	<i>Briefing/consultation provided</i>	Aeronautics protection of flight depending on flights on request.
6	<i>Flight documentation and Language(s) used</i>	Protection of flights TEMSI – VENT – TAF – METAR – SPECI – Fr
7	<i>Charts and other information available for briefing or consultation</i>	C, P
8	<i>Supplementary equipment available for providing information on meteorological conditions</i>	Radar METEO.
9	<i>ATS units provided with meteorological information</i>	TWR
10	<i>Remarks</i>	NIL

DAON AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

<i>Designations RWY NR</i>	<i>TRUE BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength (PCN) And surface of RWY and SWY</i>	<i>THR coordinates RWY end coordinates THR geoid undulation</i>	<i>THR elevation and Highest elevation of TDZ of precision APP RWY</i>
1	2	3	4	5	6
07	070°	2600 x 45	75 F/A/W/T – Bituminous Concrete	350033.94N 0012814.13W	247/NIL
25	250°			350102.79N 0012637.76W	246/NIL
<i>Slope of RWY-SWY</i>	<i>SWY Dimensions (M)</i>	<i>CWY Dimensions (M)</i>	<i>Strips Dimensions (M)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	11	12
-0.04%	NIL	NIL	2800 x 100	NIL	NIL
+0.04%	NIL	NIL	2800 x 100	NIL	NIL

DAON AD 2.13 DECLARED DISTANCES

<i>RWY ID designator</i>	<i>TORA (m)</i>	<i>TODA (m)</i>	<i>ASDA (m)</i>	<i>LDA (m)</i>	<i>Remarks</i>
1	2	3	4	5	6
07	2600	2600	2600	2600	NIL
25	2600	2600	2600	2600	NIL

DAON AD 2.14 APPROACH AND RUNWAY LIGHTING

<i>RWY Designator</i>	<i>APCH LGT Type LEN INTST</i>	<i>THR LGT Color WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ, LGT LEN</i>	<i>RWY Center Line LGT Length, spacing, color, INTST</i>	<i>RWY edge LGT LEN, spacing, color, INTST</i>	<i>RWY end LGT color, WBAR</i>	<i>SWY LGT LEN (M), Color</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
07	Nil	Green	PAPI 3°	Nil	Nil	2600M, 60M, White, LIL/LIH	Red	Nil	Runway turn pad lights, blue
25	Nil	Green	PAPI 3°	Nil	Nil	2600M, 60M, White, LIL/LIH	Red	Nil	

DAON AD 2.15 OTHER LIGHTING AND SECONDARY POWER SUPPLY

1	<i>ABN/IBN location, characteristics and hours of operation</i>	NIL
2	<i>LDI location and lighting Anemometer location and lighting</i>	WDI, LDI: Lighted.
3	<i>TWY edge and centre line lights</i>	TWY edge lights: bleu.
4	<i>Secondary power supply/switch-over time</i>	Two (02) power generators de 400 KVA / 08 seconds.
5	<i>Remarks</i>	NIL

DAON AD 2.16 HELICOPTER LANDING AERA

1	<i>Coordinates TLOF or THR of FATO Geoid undulation</i>	NIL
2	<i>TLOF and/or FATO elevation (M/FT)</i>	NIL
3	<i>TLOF and FATO area dimensions, surface, strength, marking</i>	NIL
4	<i>True bearings of FATO</i>	NIL
5	<i>Declared distance available</i>	NIL
6	<i>APP and FATO lighting</i>	NIL
7	<i>Remarks</i>	NIL

DAON AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	CTR TLEMCEN Circle of 10 NM radius centered on the ARP (350055N 0012703W).
2	<i>Vertical limits</i>	900M / GND
3	<i>Airspace classification</i>	D
4	<i>ATS unit call sign and Language(s)</i>	TLEMCEN Tour, Fr. En.
5	<i>Transition altitude</i>	1470 M
6	<i>Remarks</i>	NIL

DAON AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Channel</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
TWR	TLEMCEN TOUR	119.7 Mhz 118.3 Mhz (a)	H24	NIL

DAON AD 2.19 RADIO NAVIAGTION AND LANDING AIDS

<i>Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/MLS, give declination)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Position of transmitting antenna coordinates</i>	<i>Elevation of DME Transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
DVOR/DME (0°W 2017)	TLM	116.5 Mhz CH 112 X	H 24	350054.07N 0012646.12W	NIL	NIL
LOC25/ILS CAT I (0°W 2017)	LT	109.1	H 24	350031.06N 0012823.76W	NIL	NIL
GP25		331.4 MHZ	H24	350056.19N 0012647.13W		NIL
DME	LT	CH 28X	H24	350056.19N 0012647.13W	262 M	NIL

DAON AD 2.20 LOCAL AERODROME REGULATIONS

NIL

DAON AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

DAON AD 2.22 FLIGHT PROCEDURES

NIL

DAON AD 2.23 ADDITIONAL INFORMATION

- Presence of wild animals and birds in the aerodrome.

DAON AD 2.24 CHARTS RELATED TO AN AERODROME:

AD - Chart ICAO	AD2 DAON - AD
AOC - ICAO RWY 25	AD2 DAON - AOC1
AOC - ICAO RWY 07	AD2 DAON - AOC 2
IAC - ICAO DVOR/DME RWY 25 CAT C/D	AD2 DAON - IAC1
IAC - ICAO DVOR/DME RWY 25 CAT A/B	AD2 DAON - IAC2
IAC - ICAO ILS or LOC RWY 25 CAT C/D	AD2 DAON – IAC3
IAC - ICAO ILS or LOC RWY 25 CAT A/B	AD2 DAON – IAC4
VAC - ICAO	AD2 DAON – VAC1