

**AD2 AERODROMES****DAOV AD 2.1 Aerodrome location indicator and name**

DAOV – GHRISS

**DAOV AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	35°13'01''N 000°08'54''E NIL
2	Direction and distance from (city)	Located of 2.7 NM Southwest from the city of Ghriss.
3	Elevation/Reference Temperature	514 M/18,9 °C
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR / Annual change	0°E/2017
6	AD Administration, address, telephone, telefax, Telex, AFS	GHRISS AIRPORT Aéroport de GHRISS BP 12 - GHRISS Tel: +213 45715911 TWR: +213 45715912 ARO/ABO +213 45715927 MBO: +213 45175921 Telefax: +213 45715911 Telex: NIL AFS: DAOVYDY
7	Type of traffic (IFR/VFR)	IFR/VFR
8	Remarks	NIL

**DAOV AD 2.3 OPERATIONAL HOURS**

1	AD administration	0700/1500 (1)
2	Customs and immigration	NIL
3	Health and sanitation	NIL
4	AIS briefing office	0700/1500 (1)
5	ATS reporting office (ARO)	0700/1500 (1)
6	MET briefing office	0700/1500
7	ATS	0700/1500 (1)
8	Fueling	NIL
9	Handling	0700/1500
10	Security	0700/1500
11	De-icing	NIL
12	Remarks	(1) Aerodrome closed Friday and Saturday, outside these hours, a notice before 1300 hours will be sent to DAOVYDYD.

**DAOV AD 2.4 HANDLING SERVICES AND FACILITIES**

1	Cargo handling facilities	NIL
2	Fuel and oil types	NIL
3	Fueling facilities and capacity	NIL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

**DAOV AD 2.5 PASSENGER FACILITIES**

1	<i>Hotels</i>	In city.
2	<i>Restaurants</i>	In city.
3	<i>Transportation facilities</i>	Taxi.
4	<i>Medical facilities</i>	In city.
5	<i>Bank and post office</i>	In city.
6	<i>Tourist office</i>	NIL
7	<i>Remarks</i>	NIL

**DAOV AD 2.6 RESCUE AND FIREFIGHTING SERVICES**

1	<i>AD category for firefighting</i>	CAT 5
2	<i>Rescue equipment</i>	Yes, CAT 5
3	<i>Capability for removal of disabled aircraft</i>	NIL
4	<i>Remarks</i>	NIL

**DAOV AD 2.7 SEASONAL AVAILABILITY, CLEARING**

1	<i>Type of clearing equipment</i>	NIL
2	<i>Clearance priorities</i>	NIL
3	<i>Remarks</i>	NIL

**DAOV AD 2.8 APRONS, TWY AND CHECK LOCATIONS**

1	<i>Apron surface and strength</i>	Surface: Asphalt Strength: PCN 21 F/C/Z/T
2	<i>Taxiway width, surface and strength</i>	TWY A and B Width: 22 M Surface: Bituminous Concrete Strength: PCN 21 F/C/Z/T
3	<i>Altimeter checkpoint location and elevation</i>	Location: NIL Elevation: NIL
4	<i>VOR checkpoints</i>	NIL
5	<i>INS checkpoints</i>	NIL
6	<i>Remarks</i>	NIL

**DAOV AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

1	<i>Use of aircraft stand ID signs, TWY guidelines and visual docking / parking guidance system of aircraft stands</i>	ID signs: NIL TWY guidelines: YES Parking guidance system : YES
2	<i>RWY and TWY markings and LGT</i>	RWY: RWY edge lights, RWY THR lights, RWY end lights, RWY turn pad lights. TWY edge lights. RWY designation marking, THR marking, RWY center line marking, RWY edge marking.  TWY: TWY center line marking.
3	<i>Stop bars</i>	NIL
4	<i>Remarks</i>	NIL

**DAOV AD 2.10 AERODROME OBSTACLES**

<i>Approach and take-off areas</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

<i>Circling area and at aerodrome</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
	Pylon	NIL	HGT 23 M	Marked	NIL

**DAOV AD 2.11 METEOROLOGICAL INFORMATION PROVIDED**

1	Associated MET office	METEO station of GHRISS.
2	Hours of service: MET Office outside hours:	H24
3	Office responsible for TAF preparation and periods of validity	NIL
4	Trend Forecast and Interval of issuance	METAR 60 Minutes.
5	Briefing/consultation provided	NIL
6	Flight documentation and language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing Information on meteorological conditions.	NIL
9	ATS units provided with meteorological information.	TWR.
10	Remarks	NIL

**DAOV AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) And surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and Highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
08	082°	1700 x 30	PCN 21 F/B/W/T	351223.3N 0000816.7E	505/NIL
26	262°	1700 x 30	Bituminous Concrete	351232.9N 0000923.0E	512/NIL

Slope of RWY-SWY	SWY Dimensions (M)	CWY Dimensions (M)	Strips Dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
+0.42%	NIL	NIL	NIL	NIL	NIL
-0.42%	NIL	NIL	NIL	NIL	NIL

**DAOV AD 2.13 DECLARED DISTANCES**

<i>RWY designator</i>	<i>TORA (m)</i>	<i>TODA (m)</i>	<i>ASDA (m)</i>	<i>LDA (m)</i>	<i>Remarks</i>
1	2	3	4	5	6
08	1700	1700	1700	1700	NIL
26	1700	1700	1700	1700	NIL

**DAOV AD 2.14 APPROACH AND RUNWAY LIGHTING**

<i>RWY Designator</i>	<i>APCH LGT Type LEN INTST</i>	<i>THR LGT Color WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ, LGT LEN</i>	<i>RWY Center Line LGT Length, spacing, color, INTST</i>	<i>RWY edge LGT LEN, spacing, color, INTST</i>	<i>RWY end LGT color, WBAR</i>	<i>SWY LGT LEN (M), Color</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
08	Nil	Green	Nil	Nil	Nil	1700M, 60M, White, LIM	Red	Nil	Nil
26	Nil	Green	Nil	Nil	Nil	1700M, 60M, White, LIM	Red	Nil	Nil

**DAOV AD 2.15 OTHER LIGHTING AND SECONDARY POWER SUPPLY**

1	<i>ABN/IBN location, characteristics, and hours of operation</i>	NIL
2	<i>LDI location and lighting / Anemometer location and lighting</i>	Signal area.
3	<i>TWY edge and center line lights</i>	NIL
4	<i>Secondary power supply/switch-over time</i>	One (01) power generator 125 KVA.
5	<i>Remarks</i>	NIL

**DAOV AD 2.16 HELICOPTER LANDING AERA**

1	<i>Coordinates TLOF or THR of FATO Geoid undulation</i>	NIL
2	<i>TLOF and/or FATO elevation (M/FT)</i>	NIL
3	<i>TLOF and FATO area dimensions, surface, strength, marking</i>	NIL
4	<i>True bearings of FATO</i>	NIL
5	<i>Declared distance available</i>	NIL
6	<i>APP and FATO lighting</i>	NIL
7	<i>Remarks</i>	NIL

**DAOV AD 2.17 ATS AIRSPACE**

1	<i>Designation and lateral limits</i>	CTR Ghriss Circle of 10 NM radius centered on the VOR GRS
2	<i>Vertical limits</i>	900 M/GND
3	<i>Airspace classification</i>	D
4	<i>ATS unit call sign and language(s)</i>	Ghriss TWR /Fr, En
5	<i>Transition altitude</i>	1200 m
6	<i>Remarks</i>	NIL

**DAOV AD 2.18 ATS COMMUNICATION FACILITIES**

<i>Service designation</i>	<i>Call sign</i>	<i>Channel</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
TWR	GHRIS TWR	119.7 Mhz	SUN/WED: 0700/1500	NIL

**DAOV AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

<i>Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/MLS, give declination)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Position of transmitting antenna coordinates</i>	<i>Elevation of DME Transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
VOR (0°E 2017)	GRS	113.1 Mhz	H24	351233.74N 0000856.09E	NIL	
NDB	GRS	424 KHz	H24	351244.18N 0000930.41E	NIL	QDR 040°/ 424 m THR 26.

**DAOV AD 2.20 LOCAL AERODROME REGULATIONS:**

NIL

**DAOV AD 2.21 NOISE ABATEMENT PROCEDURES:**

NIL

**DAOV AD 2.22 FLIGHTS PROCEDURES:**

NIL

**DAOV AD 2.23 ADDITIONAL INFORMATION:**

- Presence of wild animal in the movement area.
- Presence of dogs in the aerodrome.

**DAOV AD 2.24 CHARTS RELATED TO AN AERODROME:**

AD –ICAO

IAC- ICAO VOR RWY 08 CAT A/B

IAC- ICAO NDB RWY 08 CAT A/B

VAC- ICAO

AD2 DAOV-AD

AD2 DAOV-IAC1

AD2 DAOV-IAC2

AD2 DAOV-VAC1