

AD2 AERODROMES**DATG AD 2.1 Aerodrome location indicator and name**

DATG – IN GUEZZAM

DATG AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	19°33'38".70N 005°45'04".90E
2	Direction and distance from (city)	Located of 600 M West from the city of In Guezzam.
3	Elevation/Reference Temperature	404 M/45°C
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR / Annual change	0°E/2017
6	AD Administration, address, telephone, telefax, Telex, AFS	Aéroport d'IN GUEZZAM / IN GUEZZAM Tel: +213 29 351123 TWR: +213 29 351126 ABO/ARO:+213 29351165 THURAYA 008821636635457 Telefax: +213 29 351123 Telex: NIL AFS: DATGYDYD
7	Type of traffic (IFR/VFR)	IFR/VFR
8	Remarks	Civil/military aerodrome

DATG AD 2.3 OPERATIONAL HOURS

1	AD administration	0800/1700
2	Customs and immigration	Presence during flight hours.
3	Health and sanitation	NIL
4	AIS briefing office	0700/1500 (1)
5	ATS reporting office (ARO)	0700/1500 (1)
6	MET briefing office	0900/1800
7	ATS	0700/1500 (1)
8	Fueling	NIL
9	Handling	Presence during flight hours.
10	Security	Presence during flight hours.
11	De-icing	NIL
12	Remarks	(1) -For any flight to this aerodrome a notice of departure will be sent before 16h00 to DATGYDYD and Algiers ACC. -Aerodrome closed Thursday, Friday, and public holidays.

DATG AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo handling facilities	NIL
2	Fuel and oil types	NIL
3	Fueling facilities and capacity	NIL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

DATG AD 2.5 PASSENGER FACILITIES

1	<i>Hôtels</i>	NIL
2	<i>Restaurants</i>	In city.
3	<i>Transportation facilities</i>	
4	<i>Medical facilities</i>	In city.
5	<i>Bank and post office</i>	In city.
6	<i>Tourist office</i>	NIL
7	<i>Remarks</i>	NIL

DATG AD 2.6 RESCUE AND FIREFIGHTING SERVICES

1	<i>AD category for firefighting</i>	CAT 5
2	<i>Rescue equipment</i>	Yes, CAT 5.
3	<i>Capability for removal of disabled aircraft</i>	NIL
4	<i>Remarks</i>	NIL

DATG AD 2.7 SEASONAL AVAILABILITY, CLEARING

1	<i>Type of clearing equipment</i>	NIL
2	<i>Clearance priorities</i>	NIL
3	<i>Remarks</i>	NIL

DATG AD 2.8 APRONS, TWY AND CHECK LOCATIONS

1	<i>Apron surface and strength</i>	Surface: Bituminous Concrete Strength: NIL
2	<i>Taxiway width, surface and strength</i>	Width: 25 M Surface: Bituminous Concrete Strength: NIL
3	<i>Altimeter checkpoint location and elevation</i>	Location: NIL Elevation: NIL
4	<i>VOR checkpoints</i>	NIL
5	<i>INS checkpoints</i>	NIL
6	<i>Remarks</i>	NIL

DATG AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	<i>Use of aircraft stand ID signs, TWY guidelines and visual docking / parking guidance system of aircraft stands</i>	ID signs: YES TWY guidelines: YES Parking guidance system : YES
2	<i>RWY and TWY markings and LGT</i>	RWY: RWY THR lights, RWY edge lights, RWY end lights. THR marking, RWY center line marking, RWY designation marking. TWY edge lights. TWY: TWY center line marking.
3	<i>Stop bars</i>	NIL
4	<i>Remarks</i>	NIL

DATG AD 2.10 AERODROME OBSTACLES

<i>Approach and take-off areas</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
a	b	c	d	e	f
DATGOB001	VOR antenna	193324.70N 0054316.20E	06 M	NIL	
DATGOB002	Water tower	193352.30N 0054555.50E	15 M	NIL	

<i>Circling area and at aerodrome</i>					
<i>OBST ID / Designation</i>	<i>Obstacle type</i>	<i>OBST position</i>	<i>Elevation/Height</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
a	b	c	d	e	f
DATGOB003	TWR	193348.70N 0054505.10E	HGT 17 M	NIL	
DATGOB004	NDB antenna	193353.84N 0054508.96E	411/HGT 14 M	NIL	
DATGOB005	PRKG Pylons	193347.10N0054459.00E	HGT 24 M	NIL	
DATGOB006	PRKG Pylons	193347.70N0054503.50E	HGT 24 M	NIL	
DATGOB007	PRKG Pylons	193348.30N0054508.20E	HGT 24 M	NIL	
DATGOB008	TDA antenna	193259.70N 0054605.80E	HGT 100 M	NIL	
DATGOB009	Military antenna	193354.10N 0054455.50E	HGT 15 M	NIL	
DATGOB010	METEO antenna	193349.10N 0054455.00E	HGT 16 M	NIL	

DATG AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	<i>Associated MET Office</i>	METEAO station of IN GUEZZAM.
2	<i>Hours of service: MET Office outside hours:</i>	0600/1800
3	<i>Office responsible for TAF preparation and Periods of validity</i>	NIL
4	<i>Trend Forecast and Interval of issuance:</i>	METAR: each hour.
5	<i>Briefing/consultation provided</i>	NIL
6	<i>Flight documentation and Language(s) used</i>	NIL
7	<i>Charts and other information available for briefing or consultation:</i>	NIL
8	<i>Supplementary equipment available for providing information</i>	NIL
9	<i>ATS units provided with information</i>	TWR
10	<i>Remarks</i>	Station closed on Friday.

DATG AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

<i>Designations RWY NR</i>	<i>TRUE BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength (PCN) And surface of RWY and SWY</i>	<i>THR coordinates RWY end coordinates THR geoid undulation</i>	<i>THR elevation and Highest elevation of TDZ of precision APP RWY</i>
1	2	3	4	5	6
08	080°	2200 x 30	PCN 27 F/B/W/T - Bituminous Concrete	193333.00N 0054421.13E	401/NIL
26	260°	2200 x 30		193342.56N 0054535.68E	399/NIL
<i>Slope of RWY-SWY</i>	<i>SWY Dimensions (M)</i>	<i>CWY Dimensions (M)</i>	<i>Strips Dimensions (M)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	11	12
-0.18%	NIL	NIL	NIL	NIL	NIL
+0.18%	NIL	NIL	NIL	NIL	NIL

DATG AD 2.13 DECLARED DISTANCES

<i>RWY designator</i>	<i>TORA (m)</i>	<i>TODA (m)</i>	<i>ASDA (m)</i>	<i>LDA (m)</i>	<i>Remarks</i>
1	2	3	4	5	6
08	2200	2200	2200	2200	NIL
26	2200	2200	2200	2200	NIL

DATG AD 2.14 APPROACH AND RUNWAY LIGHTING

<i>RWY Designator</i>	<i>APCH LGT Type LEN INTST</i>	<i>THR LGT Color WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ, LGT LEN</i>	<i>RWY Center Line LGT Length, spacing, color, INTST</i>	<i>RWY edge LGT LEN, spacing, color, INTST</i>	<i>RWY end LGT color, WBAR</i>	<i>SWY LGT LEN (M), Color</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
08	Nil	Green	PAPI 2,97°	Nil	Nil	2200M, 45M, White,	Red	Nil	Nil
26	Nil	Green	PAPI 2,96°	Nil	Nil	2200M, 45M, White,	Red	Nil	Nil

DATG AD 2.15 OTHER LIGHTING AND SECONDARY POWER SUPPLY

1	<i>ABN/IBN location, characteristics and hours of operation</i>	NIL
2	<i>LDI location and lighting / Anemometer location and lighting</i>	NIL
3	<i>TWY edge and centre line lights</i>	NIL
4	<i>Secondary power supply/switch-over time</i>	(01) one power generator/ 05 Minutes.
5	<i>Remarks</i>	NIL

DATG AD 2.16 HELICOPTER LANDING AERA

1	<i>Coordinates TLOF or THR of FATO Geoid undulation</i>	NIL
2	<i>TLOF and/or FATO elevation (M/FT)</i>	NIL
3	<i>TLOF and FATO area dimensions, surface, strength, marking</i>	NIL
4	<i>True bearings of FATO</i>	NIL
5	<i>Declared distance available</i>	NIL
6	<i>APP and FATO lighting</i>	NIL
7	<i>Remarks</i>	NIL

DATG AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	CTR In Guezzam Circle of 10 NM radius centered on the VOR IGZ.
2	<i>Vertical limits</i>	900M/GND
3	<i>Airspace classification</i>	D
4	<i>ATS unit call sign and language(s)</i>	IN GUEZZAM TWR/ Fr, En
5	<i>Transition altitude</i>	1300M
6	<i>Remarks</i>	NIL

DATG AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Channel</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
TWR	IN GUEZZAM TWR	118.1 Mhz	0700/1500	NIL

DATG AD 2.19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, MAG VAR, Type of supported OPS (For VOR/ILS/MLS, give declination)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Position of transmitting antenna coordinates</i>	<i>Elevation of DME Transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
VOR (0°E 2017)	IGZ	113.4	H24	19°33'49"N 005°44'02"E	NIL	
NDB	IGZ	435	H24	19°33'53.84"N 005°45'08.96"E	NIL	

DATG AD 2.20 LOCAL AERODROME REGULATIONS: NIL

DATG AD 2.21 NOISE ABATEMENT PROCEDURES: NIL

DATG AD 2.22 FLIGHTS PROCEDURES:

- Aerodrome located in desert zone.
- For any flight to this aerodrome a notice of departure will be sent before 16h00 to DATGYDYD and Algiers ACC.

DATG AD 2.23 ADDITIONAL INFORMATION:

- Presence of birds and animals in the aerodrome.
- Mandatory turn around on the RWY turn pad.

DATG AD 2.24 CHARTS RELATED TO AN AERODROME:

AD –ICAO
AOC - ICAO RWY 08
AOC - ICAO RWY 26
IAC - ICAO VOR RWY 08 CAT A/B
VAC- ICAO

AD 2 DATG-AD
AD2 DATG-AOC1
AD2 DATG-AOC2
AD2 DATG-IAC1
AD2 DATG-VAC1